



G

Tribal Consultation



Sacred Lands File & Native American Contacts List Request

Native American Heritage Commission

1550 Harbor Blvd, Suite 100

West Sacramento, CA 95691

916-373-3710

916-373-5471 – Fax

nahc@nahc.ca.gov

Information Below is Required for a Sacred Lands File Search

Project: Paradise Sewer Project

County: Butte

USGS Quadrangle Name: Chico, Ords Ferry, Paradise East, Paradise West

Township	Range	Section(s)
21N	1E	1, 2, 10, 11, 12, 15
21N	2E	1, 2, 3, 4, 5, 6, 7, 8
22N	1E	36
22N	2E	25, 31, 35, 36
22N	3E	1, 2, 10, 11, 12, 13, 14, 15, 20, 21, 22, 23, 24, 26, 27, 29, 30, 31

and parts of Rancho de Farwell

Company/Firm/Agency: Town of Paradise

Street Address: 5555 Skyway

City: Paradise

Zip: 95969

Phone: 530-872-6291

Fax: n/a

Email: mmattox@townofparadise.com

Project Description:

The Town of Paradise (Town) is implementing the Paradise Sewer Project (Project), which involves identifying and implementing a long-term solution for collection, treatment, and reuse/disposal of its wastewater. The Project area currently includes the Town itself for wastewater treatment service and the length of Skyway Road extending westward, crossing Highway 99 into the southwest area of Chico onto Rancho de Farwell land for the effluent alignment corridor.

**Native American Heritage Commission
Native American Contact List
Butte County
4/27/2021**

KonKow Valley Band of Maidu

Jessica Lopez, Chairperson
8998 Fruitridge Road KonKow
Sacramento, CA, 95803 Maidu
Phone: (530) 777 - 8094
jessica@konkowmaidu.org

Mechoopda Indian Tribe

Dennis Ramirez, Chairperson
125 Mission Ranch Blvd KonKow
Chico, CA, 95926 Maidu
Phone: (530) 899 - 8922
Fax: (530) 899-8517
dramirez@mechoopda-nsn.gov

***Mooretown Rancheria of Maidu
Indians***

Guy Taylor,
#1 Alverda Drive KonKow
Oroville, CA, 95966 Maidu
Phone: (530) 533 - 3625

***Mooretown Rancheria of Maidu
Indians***

Benjamin Clark, Chairperson
#1 Alverda Drive KonKow
Oroville, CA, 95966 Maidu
Phone: (530) 533 - 3625
Fax: (530) 533-3680
frontdesk@mooretown.org

This list is current only as of the date of this document. Distribution of this list does not relieve any person of statutory responsibility as defined in Section 7050.5 of the Health and Safety Code, Section 5097.94 of the Public Resource Section 5097.98 of the Public Resources Code.

This list is only applicable for contacting local Native Americans with regard to cultural resources assessment for the proposed Paradise Sewer Project, Butte County.



April 27, 2021

Monica Ruth

Town of Paradise / HDR Inc.

Via Email to: mmattox@townofparadise.com; Monica.Ruth@hdrinc.com

CHAIRPERSON
Laura Miranda
Luiseno

VICE CHAIRPERSON
Reginald Pagaling
Chumash

SECRETARY
Merri Lopez-Keifer
Luiseno

PARLIAMENTARIAN
Russell Attebery
Karuk

COMMISSIONER
William Mungary
Paiute/White Mountain Apache

COMMISSIONER
Julie Tumamait-Stenslie
Chumash

COMMISSIONER
[Vacant]

COMMISSIONER
[Vacant]

COMMISSIONER
[Vacant]

EXECUTIVE SECRETARY
Christina Snider
Pomo

Re: Paradise Sewer Project, Butte County

Dear Ms. Ruth:

A record search of the Native American Heritage Commission (NAHC) Sacred Lands File (SLF) was completed for the information you have submitted for the above referenced project. The results were negative. However, the absence of specific site information in the SLF does not indicate the absence of cultural resources in any project area. Other sources of cultural resources should also be contacted for information regarding known and recorded sites.

Attached is a list of Native American tribes who may also have knowledge of cultural resources in the project area. This list should provide a starting place in locating areas of potential adverse impact within the proposed project area. I suggest you contact all of those indicated; if they cannot supply information, they might recommend others with specific knowledge. By contacting all those listed, your organization will be better able to respond to claims of failure to consult with the appropriate tribe. If a response has not been received within two weeks of notification, the Commission requests that you follow-up with a telephone call or email to ensure that the project information has been received.

If you receive notification of change of addresses and phone numbers from tribes, please notify me. With your assistance, we can assure that our lists contain current information.

If you have any questions or need additional information, please contact me at my email address: Nancy.Gonzalez-Lopez@nahc.ca.gov.

Sincerely,

Nancy Gonzalez-Lopez

Cultural Resources Analyst

Attachment

NAHC HEADQUARTERS
1550 Harbor Boulevard
Suite 100
West Sacramento,
California 95691
(916) 373-3710
nahc@nahc.ca.gov
NAHC.ca.gov

7019 0140 0001 0117 8855

U.S. Postal Service
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ 3.60

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ 2.85

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 1.20

Total Postage and Fees \$ 7.65

Sent To BENJAMIN CLARK

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ 3.60

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ 2.85

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 1.20

Total Postage and Fees \$ 7.65

Sent To GUY TAYLOR

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 0140 0001 0117 8862

U.S. Postal Service
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ 3.60

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ 2.85

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 1.20

Total Postage and Fees \$ 7.65

Sent To JESSICA LOPEZ

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ 3.60

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ 2.85

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage \$ 1.20

Total Postage and Fees \$ 7.65

Sent To DENNIS RAMIREZ

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

May 10, 2021

Via Certified Mail

Jessica Lopez
Chairperson
KonKow Valley Band of Maidu
8998 Fruitridge Road
Sacramento, CA 95803

Subject: Notice of Opportunity to Consult Under Assembly Bill 52 for the Paradise Sewer Project in Butte County, California

Honorable Chairperson Lopez,

The Town of Paradise (Town), as the Lead Agency for the Paradise Sewer Project (Proposed Project), is providing this notice of opportunity to request notification from the Town for consultation regarding the Proposed Project pursuant to Public Resources Code (PRC) section 21080.3.1 and Chapter 532, Statutes of 2014 (i.e., AB 52).

Since its incorporation in 1979, the Town has sought a formal wastewater treatment solution for the community, with service for commercial and densely populated residential areas being a priority. Failed and failing septic systems create the potential for public health and environmental concerns and have limited economic growth. Prior to the Camp Fire, which almost completely destroyed the town in 2018, Paradise was the largest unsewered community in California. A new wastewater management solution is needed to improve the local economy (e.g., encourage opening of new businesses) and reduce the potential for public health and environmental concerns caused by failed or failing septic systems.

The objectives of the Proposed Project are as follows:

- Provide a sewer system to serve Paradise in compliance with the Town of Paradise 1994 General Plan policies LUO-10, ESP-6, LUP-16, and LUI-7 (Quad Consultants 2008).
- Provide long-term, efficient, reliable, high quality treatment of wastewater in a cost-effective, environmentally beneficial manner to the people of Paradise.
- Improve the handling of wastewater in Paradise to address the economic and environmental concerns of the current system.
- Connect to the existing Chico Water Pollution Control Plant (WPCP) to provide efficient regional treatment of wastewater with no additional cost to City of Chico rate payers.

Existing Facilities

Wastewater treatment facilities in Paradise consist of individual, privately owned septic tanks and soil absorption disposal systems known as leach fields, together with several engineered subsurface disposal systems serving commercial and institutional facilities. Businesses and residences near the future sewer system continue to rely on septic tanks and leach field systems for wastewater treatment and disposal.

The Proposed Project consists of three constructed components—a wastewater collection system in Paradise, an 18-mile export pipeline to convey wastewater to the Chico WPCP, and connection to the WPCP—and operation of the new sewer system. The export pipeline would begin at the southwest edge of Paradise and run for approximately 8 miles along Skyway until reaching south Chico, at which point the pipeline would leave Skyway and continue west, crossing Butte Creek, Highway 99, and the Union Pacific Railroad, and terminating at the Chico WPCP in Chico. The Proposed Project would not change the service area of the Chico WPCP other than the addition of the Paradise connection and treatment. Moreover, there would be no additional fees for Chico residents and rate payers as a result of the Proposed Project.

Sewer Service Area

The sewer service area (SSA) would serve approximately 1,500 parcels (out of the 11,000 total parcels in Paradise) along the Skyway, Clark Road, and Pearson Road corridors. The SSA also would serve most businesses in Paradise and would enable future construction of affordable multi-family housing, which is limited because of multiple septic system constraints such as high groundwater, poor soils, and limited parcel sizes.

At the time of initial operation, an estimated 360 occupied parcels within the SSA would be generating an average wastewater flow of 109,000 gpd. It is estimated that it could take 30 years for the entire SSA to be occupied, at which time the average wastewater flow would be 448,000 gpd. The Town is considering this level of development and wastewater flow in planning its wastewater treatment solutions.

Collection System

The collection system would serve all parcels within the SSA, and would consist of a system of gravity sewers, small pump stations, and force mains. This collection system would enable properties within the SSA to have existing septic tanks and leach line systems abandoned altogether and would remove future onsite wastewater treatment and dispersal requirements. Because of the varied topography within the SSA, a number of pump stations and pressurized force mains would be required to pump flows out of valleys and swales, and back up to an adjacent gravity sewer. The collection system would consist of approximately 157,000 feet of 2- to 4-inch-diameter force mains, 29,000 feet of 8-inch-diameter gravity trunk lines, and 28 pump stations, all within public right-of-way. The gravity sewers would come together at the southwest edge of town, on Skyway, where they would transition to the export pipeline to the Chico WPCP.

Export Pipeline

The proposed export pipeline would start along Skyway at the south end of the Paradise collection system and would continue southwest along Skyway. Near Chico, at the bend where Skyway turns north, the pipeline would continue west, heading cross-country with crossings of Butte Creek and Highway 99 until reaching Midway, and would proceed into Chico and end at the Chico WPCP. The connection to the Chico WPCP is not associated with other ongoing facility upgrades. Figure 1 of Attachment A shows the proposed export pipeline route and connection to the Chico WPCP.

Consultation

At this time, the Town is seeking to consult with California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area, in compliance with CEQA, California Public Resources Code (PRC) section 21080.3.1. The Town has requested the assistance of the Native American Heritage Commission (NAHC), in compliance with PRC 21080.3.1(c) to provide a list of California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area. The NAHC has provided a list of California Native American tribes in support of these efforts, and the Town is reaching out to each of the contacts provided.

The Town would like to take this opportunity to notify the KonKow Valley Band of Maidu of an opportunity to consult with SSWD regarding the potential for this Proposed Project to impact tribal cultural resources, as defined in PRC section 21074. The purposes of tribal consultation under Section 21080.3.1 is to determine, as part of the CEQA review process, whether tribal cultural resources are present within the Proposed Project area, and if so, whether the Proposed Project will significantly impact those resources. If tribal cultural resources may be significantly impacted, then consultation will also help to determine the most appropriate way to avoid or mitigate those impacts.

In accordance with Section 21080.3.1(d) of the PRC, please respond within 30 days from the receipt of this letter to either request or decline consultation in writing for this Project. Please send your written response to:

John "Jay" Lloyd, Senior Cultural Resources Specialist
HDR Engineering, Inc.
2379 Gateway Oaks Drive, Suite 200
Sacramento, CA 95833
John.Lloyd@hdrinc.com
916.679.8715

If you have any concerns regarding cultural resources and/or tribal cultural resources within the Project area shown on the enclosed map, or if you have any concerns regarding issues related to the overall Proposed Project, please contact me using the contact information provided below.

Thank you and we look forward to your response.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Marc Mattox', with a large, stylized flourish at the end.

Marc Mattox
Town of Paradise Director of Public Works
5555 Skyway
Paradise, CA 95969
530-872-6291
mmattox@townofparadise.com

Attachment: A: Proposed Project Map

Notice of Opportunity to Consult for the Paradise Sewer Project in Butte County, California

Attachment A
Proposed Project Map




Figure 1. Proposed Project Map

May 10, 2021

Via Certified Mail

Dennis Ramirez
Chairperson
Mechoopda Indian Tribe
125 Mission Ranch Blvd
Chico, CA 95926

Subject: Notice of Opportunity to Consult Under Assembly Bill 52 for the Paradise Sewer Project in Butte County, California

Honorable Chairperson Ramirez,

The Town of Paradise (Town), as the Lead Agency for the Paradise Sewer Project (Proposed Project), is providing this notice of opportunity to request notification from the Town for consultation regarding the Proposed Project pursuant to Public Resources Code (PRC) section 21080.3.1 and Chapter 532, Statutes of 2014 (i.e., AB 52).

Since its incorporation in 1979, the Town has sought a formal wastewater treatment solution for the community, with service for commercial and densely populated residential areas being a priority. Failed and failing septic systems create the potential for public health and environmental concerns and have limited economic growth. Prior to the Camp Fire, which almost completely destroyed the town in 2018, Paradise was the largest unsewered community in California. A new wastewater management solution is needed to improve the local economy (e.g., encourage opening of new businesses) and reduce the potential for public health and environmental concerns caused by failed or failing septic systems.

The objectives of the Proposed Project are as follows:

- Provide a sewer system to serve Paradise in compliance with the Town of Paradise 1994 General Plan policies LUO-10, ESP-6, LUP-16, and LUI-7 (Quad Consultants 2008).
- Provide long-term, efficient, reliable, high quality treatment of wastewater in a cost-effective, environmentally beneficial manner to the people of Paradise.
- Improve the handling of wastewater in Paradise to address the economic and environmental concerns of the current system.
- Connect to the existing Chico Water Pollution Control Plant (WPCP) to provide efficient regional treatment of wastewater with no additional cost to City of Chico rate payers.

Existing Facilities

Wastewater treatment facilities in Paradise consist of individual, privately owned septic tanks and soil absorption disposal systems known as leach fields, together with several engineered subsurface disposal systems serving commercial and institutional facilities. Businesses and residences near the future sewer system continue to rely on septic tanks and leach field systems for wastewater treatment and disposal.

The Proposed Project consists of three constructed components—a wastewater collection system in Paradise, an 18-mile export pipeline to convey wastewater to the Chico WPCP, and connection to the WPCP—and operation of the new sewer system. The export pipeline would begin at the southwest edge of Paradise and run for approximately 8 miles along Skyway until reaching south Chico, at which point the pipeline would leave Skyway and continue west, crossing Butte Creek, Highway 99, and the Union Pacific Railroad, and terminating at the Chico WPCP in Chico. The Proposed Project would not change the service area of the Chico WPCP other than the addition of the Paradise connection and treatment. Moreover, there would be no additional fees for Chico residents and rate payers as a result of the Proposed Project.

Sewer Service Area

The sewer service area (SSA) would serve approximately 1,500 parcels (out of the 11,000 total parcels in Paradise) along the Skyway, Clark Road, and Pearson Road corridors. The SSA also would serve most businesses in Paradise and would enable future construction of affordable multi-family housing, which is limited because of multiple septic system constraints such as high groundwater, poor soils, and limited parcel sizes.

At the time of initial operation, an estimated 360 occupied parcels within the SSA would be generating an average wastewater flow of 109,000 gpd. It is estimated that it could take 30 years for the entire SSA to be occupied, at which time the average wastewater flow would be 448,000 gpd. The Town is considering this level of development and wastewater flow in planning its wastewater treatment solutions.

Collection System

The collection system would serve all parcels within the SSA, and would consist of a system of gravity sewers, small pump stations, and force mains. This collection system would enable properties within the SSA to have existing septic tanks and leach line systems abandoned altogether and would remove future onsite wastewater treatment and dispersal requirements. Because of the varied topography within the SSA, a number of pump stations and pressurized force mains would be required to pump flows out of valleys and swales, and back up to an adjacent gravity sewer. The collection system would consist of approximately 157,000 feet of 2- to 4-inch-diameter force mains, 29,000 feet of 8-inch-diameter gravity trunk lines, and 28 pump stations, all within public right-of-way. The gravity sewers would come together at the southwest edge of town, on Skyway, where they would transition to the export pipeline to the Chico WPCP.

Export Pipeline

The proposed export pipeline would start along Skyway at the south end of the Paradise collection system and would continue southwest along Skyway. Near Chico, at the bend where Skyway turns north, the pipeline would continue west, heading cross-country with crossings of Butte Creek and Highway 99 until reaching Midway, and would proceed into Chico and end at the Chico WPCP. The connection to the Chico WPCP is not associated with other ongoing facility upgrades. Figure 1 of Attachment A shows the proposed export pipeline route and connection to the Chico WPCP.

Consultation

At this time, the Town is seeking to consult with California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area, in compliance with CEQA, California Public Resources Code (PRC) section 21080.3.1. The Town has requested the assistance of the Native American Heritage Commission (NAHC), in compliance with PRC 21080.3.1(c) to provide a list of California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area. The NAHC has provided a list of California Native American tribes in support of these efforts, and the Town is reaching out to each of the contacts provided.

The Town would like to take this opportunity to notify the Mechoopda Indian Tribe of an opportunity to consult with SSWD regarding the potential for this Proposed Project to impact tribal cultural resources, as defined in PRC section 21074. The purposes of tribal consultation under Section 21080.3.1 is to determine, as part of the CEQA review process, whether tribal cultural resources are present within the Proposed Project area, and if so, whether the Proposed Project will significantly impact those resources. If tribal cultural resources may be significantly impacted, then consultation will also help to determine the most appropriate way to avoid or mitigate those impacts.

In accordance with Section 21080.3.1(d) of the PRC, please respond within 30 days from the receipt of this letter to either request or decline consultation in writing for this Project. Please send your written response to:

John "Jay" Lloyd, Senior Cultural Resources Specialist
HDR Engineering, Inc.
2379 Gateway Oaks Drive, Suite 200
Sacramento, CA 95833
John.Lloyd@hdrinc.com
916.679.8715

If you have any concerns regarding cultural resources and/or tribal cultural resources within the Project area shown on the enclosed map, or if you have any concerns regarding issues related to the overall Proposed Project, please contact me using the contact information provided below.

Thank you and we look forward to your response.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Marc Mattox', with a large, stylized flourish at the end.

Marc Mattox
Town of Paradise Director of Public Works
5555 Skyway
Paradise, CA 95969
530-872-6291
mmattox@townofparadise.com

Attachment: A: Proposed Project Map

Notice of Opportunity to Consult for the Paradise Sewer Project in Butte County, California

Attachment A
Proposed Project Map




Figure 1. Proposed Project Map

May 10, 2021

Via Certified Mail

Benjamin Clark
Chairperson
Mooretown Rancheria of Maidu Indians
#1 Alverda Drive
Oroville, CA, 95966

Subject: Notice of Opportunity to Consult Under Assembly Bill 52 for the Paradise Sewer Project in Butte County, California

Honorable Chairperson Clark,

The Town of Paradise (Town), as the Lead Agency for the Paradise Sewer Project (Proposed Project), is providing this notice of opportunity to request notification from the Town for consultation regarding the Proposed Project pursuant to Public Resources Code (PRC) section 21080.3.1 and Chapter 532, Statutes of 2014 (i.e., AB 52).

Since its incorporation in 1979, the Town has sought a formal wastewater treatment solution for the community, with service for commercial and densely populated residential areas being a priority. Failed and failing septic systems create the potential for public health and environmental concerns and have limited economic growth. Prior to the Camp Fire, which almost completely destroyed the town in 2018, Paradise was the largest unsewered community in California. A new wastewater management solution is needed to improve the local economy (e.g., encourage opening of new businesses) and reduce the potential for public health and environmental concerns caused by failed or failing septic systems.

The objectives of the Proposed Project are as follows:

- Provide a sewer system to serve Paradise in compliance with the Town of Paradise 1994 General Plan policies LUO-10, ESP-6, LUP-16, and LUI-7 (Quad Consultants 2008).
- Provide long-term, efficient, reliable, high quality treatment of wastewater in a cost-effective, environmentally beneficial manner to the people of Paradise.
- Improve the handling of wastewater in Paradise to address the economic and environmental concerns of the current system.
- Connect to the existing Chico Water Pollution Control Plant (WPCP) to provide efficient regional treatment of wastewater with no additional cost to City of Chico rate payers.

Existing Facilities

Wastewater treatment facilities in Paradise consist of individual, privately owned septic tanks and soil absorption disposal systems known as leach fields, together with several engineered subsurface disposal systems serving commercial and institutional facilities. Businesses and residences near the future sewer system continue to rely on septic tanks and leach field systems for wastewater treatment and disposal.

The Proposed Project consists of three constructed components—a wastewater collection system in Paradise, an 18-mile export pipeline to convey wastewater to the Chico WPCP, and connection to the WPCP—and operation of the new sewer system. The export pipeline would begin at the southwest edge of Paradise and run for approximately 8 miles along Skyway until reaching south Chico, at which point the pipeline would leave Skyway and continue west, crossing Butte Creek, Highway 99, and the Union Pacific Railroad, and terminating at the Chico WPCP in Chico. The Proposed Project would not change the service area of the Chico WPCP other than the addition of the Paradise connection and treatment. Moreover, there would be no additional fees for Chico residents and rate payers as a result of the Proposed Project.

Sewer Service Area

The sewer service area (SSA) would serve approximately 1,500 parcels (out of the 11,000 total parcels in Paradise) along the Skyway, Clark Road, and Pearson Road corridors. The SSA also would serve most businesses in Paradise and would enable future construction of affordable multi-family housing, which is limited because of multiple septic system constraints such as high groundwater, poor soils, and limited parcel sizes.

At the time of initial operation, an estimated 360 occupied parcels within the SSA would be generating an average wastewater flow of 109,000 gpd. It is estimated that it could take 30 years for the entire SSA to be occupied, at which time the average wastewater flow would be 448,000 gpd. The Town is considering this level of development and wastewater flow in planning its wastewater treatment solutions.

Collection System

The collection system would serve all parcels within the SSA, and would consist of a system of gravity sewers, small pump stations, and force mains. This collection system would enable properties within the SSA to have existing septic tanks and leach line systems abandoned altogether and would remove future onsite wastewater treatment and dispersal requirements. Because of the varied topography within the SSA, a number of pump stations and pressurized force mains would be required to pump flows out of valleys and swales, and back up to an adjacent gravity sewer. The collection system would consist of approximately 157,000 feet of 2- to 4-inch-diameter force mains, 29,000 feet of 8-inch-diameter gravity trunk lines, and 28 pump stations, all within public right-of-way. The gravity sewers would come together at the southwest edge of town, on Skyway, where they would transition to the export pipeline to the Chico WPCP.

Export Pipeline

The proposed export pipeline would start along Skyway at the south end of the Paradise collection system and would continue southwest along Skyway. Near Chico, at the bend where Skyway turns north, the pipeline would continue west, heading cross-country with crossings of Butte Creek and Highway 99 until reaching Midway, and would proceed into Chico and end at the Chico WPCP. The connection to the Chico WPCP is not associated with other ongoing facility upgrades. Figure 1 of Attachment A shows the proposed export pipeline route and connection to the Chico WPCP.

Consultation

At this time, the Town is seeking to consult with California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area, in compliance with CEQA, California Public Resources Code (PRC) section 21080.3.1. The Town has requested the assistance of the Native American Heritage Commission (NAHC), in compliance with PRC 21080.3.1(c) to provide a list of California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area. The NAHC has provided a list of California Native American tribes in support of these efforts, and the Town is reaching out to each of the contacts provided.

The Town would like to take this opportunity to notify the Mooretown Rancheria of Maidu Indians of an opportunity to consult with SSWD regarding the potential for this Proposed Project to impact tribal cultural resources, as defined in PRC section 21074. The purposes of tribal consultation under Section 21080.3.1 is to determine, as part of the CEQA review process, whether tribal cultural resources are present within the Proposed Project area, and if so, whether the Proposed Project will significantly impact those resources. If tribal cultural resources may be significantly impacted, then consultation will also help to determine the most appropriate way to avoid or mitigate those impacts.

In accordance with Section 21080.3.1(d) of the PRC, please respond within 30 days from the receipt of this letter to either request or decline consultation in writing for this Project. Please send your written response to:

John "Jay" Lloyd, Senior Cultural Resources Specialist
HDR Engineering, Inc.
2379 Gateway Oaks Drive, Suite 200
Sacramento, CA 95833
John.Lloyd@hdrinc.com
916.679.8715

If you have any concerns regarding cultural resources and/or tribal cultural resources within the Project area shown on the enclosed map, or if you have any concerns regarding issues related to the overall Proposed Project, please contact me using the contact information provided below.

Thank you and we look forward to your response.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Marc Mattox', with a large, stylized flourish at the end.

Marc Mattox
Town of Paradise Director of Public Works
5555 Skyway
Paradise, CA 95969
530-872-6291
mmattox@townofparadise.com

Attachment: A: Proposed Project Map

Notice of Opportunity to Consult for the Paradise Sewer Project in Butte County, California

Attachment A
Proposed Project Map




Figure 1. Proposed Project Map

May 10, 2021

Via Certified Mail

Guy Taylor
Director, Environmental Protection Office
Mooretown Rancheria of Maidu Indians
#1 Alverda Drive
Oroville, CA, 95966

Subject: Notice of Opportunity to Consult Under Assembly Bill 52 for the Paradise Sewer Project in Butte County, California

Dear Director Taylor,

The Town of Paradise (Town), as the Lead Agency for the Paradise Sewer Project (Proposed Project), is providing this notice of opportunity to request notification from the Town for consultation regarding the Proposed Project pursuant to Public Resources Code (PRC) section 21080.3.1 and Chapter 532, Statutes of 2014 (i.e., AB 52).

Since its incorporation in 1979, the Town has sought a formal wastewater treatment solution for the community, with service for commercial and densely populated residential areas being a priority. Failed and failing septic systems create the potential for public health and environmental concerns and have limited economic growth. Prior to the Camp Fire, which almost completely destroyed the town in 2018, Paradise was the largest unsewered community in California. A new wastewater management solution is needed to improve the local economy (e.g., encourage opening of new businesses) and reduce the potential for public health and environmental concerns caused by failed or failing septic systems.

The objectives of the Proposed Project are as follows:

- Provide a sewer system to serve Paradise in compliance with the Town of Paradise 1994 General Plan policies LUO-10, ESP-6, LUP-16, and LUI-7 (Quad Consultants 2008).
- Provide long-term, efficient, reliable, high quality treatment of wastewater in a cost-effective, environmentally beneficial manner to the people of Paradise.
- Improve the handling of wastewater in Paradise to address the economic and environmental concerns of the current system.
- Connect to the existing Chico Water Pollution Control Plant (WPCP) to provide efficient regional treatment of wastewater with no additional cost to City of Chico rate payers.

Existing Facilities

Wastewater treatment facilities in Paradise consist of individual, privately owned septic tanks and soil absorption disposal systems known as leach fields, together with several engineered subsurface disposal systems serving commercial and institutional facilities. Businesses and residences near the future sewer system continue to rely on septic tanks and leach field systems for wastewater treatment and disposal.

The Proposed Project consists of three constructed components—a wastewater collection system in Paradise, an 18-mile export pipeline to convey wastewater to the Chico WPCP, and connection to the WPCP—and operation of the new sewer system. The export pipeline would begin at the southwest edge of Paradise and run for approximately 8 miles along Skyway until reaching south Chico, at which point the pipeline would leave Skyway and continue west, crossing Butte Creek, Highway 99, and the Union Pacific Railroad, and terminating at the Chico WPCP in Chico. The Proposed Project would not change the service area of the Chico WPCP other than the addition of the Paradise connection and treatment. Moreover, there would be no additional fees for Chico residents and rate payers as a result of the Proposed Project.

Sewer Service Area

The sewer service area (SSA) would serve approximately 1,500 parcels (out of the 11,000 total parcels in Paradise) along the Skyway, Clark Road, and Pearson Road corridors. The SSA also would serve most businesses in Paradise and would enable future construction of affordable multi-family housing, which is limited because of multiple septic system constraints such as high groundwater, poor soils, and limited parcel sizes.

At the time of initial operation, an estimated 360 occupied parcels within the SSA would be generating an average wastewater flow of 109,000 gpd. It is estimated that it could take 30 years for the entire SSA to be occupied, at which time the average wastewater flow would be 448,000 gpd. The Town is considering this level of development and wastewater flow in planning its wastewater treatment solutions.

Collection System

The collection system would serve all parcels within the SSA, and would consist of a system of gravity sewers, small pump stations, and force mains. This collection system would enable properties within the SSA to have existing septic tanks and leach line systems abandoned altogether and would remove future onsite wastewater treatment and dispersal requirements. Because of the varied topography within the SSA, a number of pump stations and pressurized force mains would be required to pump flows out of valleys and swales, and back up to an adjacent gravity sewer. The collection system would consist of approximately 157,000 feet of 2- to 4-inch-diameter force mains, 29,000 feet of 8-inch-diameter gravity trunk lines, and 28 pump stations, all within public right-of-way. The gravity sewers would come together at the southwest edge of town, on Skyway, where they would transition to the export pipeline to the Chico WPCP.

Export Pipeline

The proposed export pipeline would start along Skyway at the south end of the Paradise collection system and would continue southwest along Skyway. Near Chico, at the bend where Skyway turns north, the pipeline would continue west, heading cross-country with crossings of Butte Creek and Highway 99 until reaching Midway, and would proceed into Chico and end at the Chico WPCP. The connection to the Chico WPCP is not associated with other ongoing facility upgrades. Figure 1 of Attachment A shows the proposed export pipeline route and connection to the Chico WPCP.

Consultation

At this time, the Town is seeking to consult with California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area, in compliance with CEQA, California Public Resources Code (PRC) section 21080.3.1. The Town has requested the assistance of the Native American Heritage Commission (NAHC), in compliance with PRC 21080.3.1(c) to provide a list of California Native American tribes that are traditionally and culturally affiliated with the Proposed Project area. The NAHC has provided a list of California Native American tribes in support of these efforts, and the Town is reaching out to each of the contacts provided.

The Town would like to take this opportunity to notify the Mooretown Rancheria of Maidu Indians of an opportunity to consult with SSWD regarding the potential for this Proposed Project to impact tribal cultural resources, as defined in PRC section 21074. The purposes of tribal consultation under Section 21080.3.1 is to determine, as part of the CEQA review process, whether tribal cultural resources are present within the Proposed Project area, and if so, whether the Proposed Project will significantly impact those resources. If tribal cultural resources may be significantly impacted, then consultation will also help to determine the most appropriate way to avoid or mitigate those impacts.

In accordance with Section 21080.3.1(d) of the PRC, please respond within 30 days from the receipt of this letter to either request or decline consultation in writing for this Project. Please send your written response to:

John "Jay" Lloyd, Senior Cultural Resources Specialist
HDR Engineering, Inc.
2379 Gateway Oaks Drive, Suite 200
Sacramento, CA 95833
John.Lloyd@hdrinc.com
916.679.8715

If you have any concerns regarding cultural resources and/or tribal cultural resources within the Project area shown on the enclosed map, or if you have any concerns regarding issues related to the overall Proposed Project, please contact me using the contact information provided below.

Thank you and we look forward to your response.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Marc Mattox', with a large, stylized flourish at the end.

Marc Mattox
Town of Paradise Director of Public Works
5555 Skyway
Paradise, CA 95969
530-872-6291
mmattox@townofparadise.com

Attachment: A: Proposed Project Map

Notice of Opportunity to Consult for the Paradise Sewer Project in Butte County, California

Attachment A
Proposed Project Map




Figure 1. Proposed Project Map

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<p>■ Complete items 1, 2, and 3.</p> <p>■ Print your name and address on the reverse so that we can return the card to you.</p> <p>■ Attach this card to the back of the mailpiece, or on the front if space permits.</p>	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) Jenna Bartell</p> <p>C. Date of Delivery 5-12-21</p>
<p>1. Article Addressed to:</p> <p>Dennis Ramirez, Chairperson Mechoopda Indian Tribe 125 Mission Ranch Blvd Chico, CA 95926</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input checked="" type="checkbox"/> No</p>
<p>9590 9402 4991 9063 8056 44</p>	<p>3. Service Type <input type="checkbox"/> Adult Signature <input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Certified Mail® <input type="checkbox"/> Certified Mail Restricted Delivery</p> <p><input type="checkbox"/> Priority Mail Express® <input type="checkbox"/> Registered Mail™ <input type="checkbox"/> Registered Mail Restricted Delivery <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Signature Confirmation™ <input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Receipt

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<p>■ Complete items 1, 2, and 3.</p> <p>■ Print your name and address on the reverse so that we can return the card to you.</p> <p>■ Attach this card to the back of the mailpiece, or on the front if space permits.</p>	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) CT C19 R3</p> <p>C. Date of Delivery</p>
<p>1. Article Addressed to:</p> <p>Benjamin Clark, Chairperson Mooretown Rancheria of Maidu Indians #1 Alverda Drive Oroville, CA, 95966</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input checked="" type="checkbox"/> No</p>
<p>9590 9402 4991 9063 8056 68</p>	<p>3. Service Type <input type="checkbox"/> Adult Signature <input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Certified Mail® <input type="checkbox"/> Certified Mail Restricted Delivery <input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Collect on Delivery Restricted Delivery</p> <p><input type="checkbox"/> Priority Mail Express® <input type="checkbox"/> Registered Mail™ <input type="checkbox"/> Registered Mail Restricted Delivery <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Signature Confirmation™ <input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Receipt

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<p>■ Complete items 1, 2, and 3.</p> <p>■ Print your name and address on the reverse so that we can return the card to you.</p> <p>■ Attach this card to the back of the mailpiece, or on the front if space permits.</p>	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) CT R3019520</p> <p>C. Date of Delivery</p>
<p>1. Article Addressed to:</p> <p>Guy Taylor, Director Environmental Protection Office Mooretown Rancheria of Maidu Indians #1 Alverda Drive Oroville, CA, 95966</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input checked="" type="checkbox"/> No</p>
<p>9590 9402 4991 9063 8056 75</p>	<p>3. Service Type <input type="checkbox"/> Adult Signature <input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Certified Mail® <input type="checkbox"/> Certified Mail Restricted Delivery <input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Collect on Delivery Restricted Delivery</p> <p><input type="checkbox"/> Priority Mail Express® <input type="checkbox"/> Registered Mail™ <input type="checkbox"/> Registered Mail Restricted Delivery <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Signature Confirmation™ <input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Receipt

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<p>■ Complete items 1, 2, and 3.</p> <p>■ Print your name and address on the reverse so that we can return the card to you.</p> <p>■ Attach this card to the back of the mailpiece, or on the front if space permits.</p>	<p>A. Signature <input checked="" type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name)</p> <p>C. Date of Delivery</p>
<p>1. Article Addressed to:</p> <p>Jessica Lopez, Chairperson KonKow Valley Band of Maidu 8998 Fruitridge Road Sacramento, CA 95803</p>	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
<p>9590 9402 4991 9063 8056 51</p>	<p>3. Service Type <input type="checkbox"/> Adult Signature <input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Certified Mail® <input type="checkbox"/> Certified Mail Restricted Delivery <input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Collect on Delivery Restricted Delivery</p> <p><input type="checkbox"/> Priority Mail Express® <input type="checkbox"/> Registered Mail™ <input type="checkbox"/> Registered Mail Restricted Delivery <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Signature Confirmation™ <input type="checkbox"/> Signature Confirmation Restricted Delivery</p>
PS Form 3811, July 2015 PSN 7530-02-000-9053	Domestic Return Receipt

Agenda

Project:	Paradise Sewer Project in Butte County, California
Subject:	AB 52 Consultation Meeting
Date:	Tuesday, August 10, 2021; 1:30 pm
Location:	Meeting held via WebEx
Invitees:	Jessica Lopez, Konkow Valley Band of Maidu, Tribal Chair Kyle McHenry, Mechoopda Indian Tribe, Tribal Historic Preservation Officer Marc Mattox, Town of Paradise, Public Works Director/Town Engineer John Buttz, HDR, Project Manager Leslie Tice, HDR, CEQA Project Lead Jay Lloyd, HDR, Senior Cultural Resources Specialist Monica Ruth, HDR, Cultural Resources Specialist

- I. Welcome/Introductions
- II. Project Overview
 - A. Sewer Service Area
 - B. Collection System
 - C. Export Pipeline
- III. CEQA/AB 52 Consultation Discussion
 - A. The purposes of tribal consultation under Section 21080.3.1 (aka AB 52) is to determine, as part of the CEQA review process, whether tribal cultural resources are present within the Proposed Project area, and if so, whether the Proposed Project will significantly impact those resources. If tribal cultural resources may be significantly impacted, then consultation will also help to determine the most appropriate way to avoid or mitigate those impacts.
- IV. Review Action Items
- V. Conclusion

Agenda

Project: Paradise Sewer Project in Butte County, California

Subject: AB 52 Consultation Meeting

Date: Thursday, September 09, 2021; 11:00 am

Location: Meeting held via WebEx

Invitees: Jessica Lopez, Konkow Valley Band of Maidu, Tribal Chair
Matthew Gramps-Williford, Konkow Valley Band of Maidu, Tribal Historic Preservation Officer
Kyle McHenry, Mechoopda Indian Tribe, Tribal Historic Preservation Officer
Marc Mattox, Town of Paradise, Public Works Director/Town Engineer
John Buttz, HDR, Project Manager
Leslie Tice, HDR, CEQA Project Lead
Jay Lloyd, HDR, Senior Cultural Resources Specialist
Monica Ruth, HDR, Cultural Resources Specialist

- I. Welcome
- II. Review of Action Items from 8/10/21 Meeting
 - **HDR** to provide GIS data (shapefiles) of the project area (inclusive of service area and export pipeline) to both the Konkow Valley Band of Maidu and Mechoopda Indian Tribe
 - **Minutes and shapefiles were provided via One Drive/email on 8/16/2021**
 - The **Town of Paradise/HDR** will reach out again to both the Konkow Valley Band of Maidu and Mechoopda Indian Tribe in three weeks (early September) to set up a time to discuss items of concern following the Tribes' review of their respective internal databases/information against the GIS data; meeting to possibly take place the week following Labor Day.
- III. CEQA/AB 52 Consultation Discussion
 - A. Known Tribal Cultural Resources
 - B. Areas/resources of concern
 - C. Proposed Mitigation Measures
- IV. Review Action Items, as applicable
- V. Conclusion

From: [Ruth, Monica](#)
To: ["Jessica Lopez"](#); [Om Yepj](#); [K McHenry](#)
Cc: [Stanley, Ashley](#); [Mattox, Marc](#); [Buttz, John](#); [Edwards, Dawn](#)
Subject: Paradise Sewer Project update, request for review
Date: Thursday, April 7, 2022 2:34:41 PM
Attachments: [REPORT EIS EIS Alternatives.pdf](#)

Greetings Chairwoman Lopez, Cultural Resource Director Williford, and THPO McHenry –

The Town of Paradise has asked HDR to relay a Sewer Project update to you. We have adjusted the pipeline alignment of the Proposed Project in the south part of Chico, on the west side of Highway 99 (see attached figure). We would like your input regarding potential impacts to Tribal Cultural Resources caused by this change. The attached figure is marked up so you can compare the new proposed pipeline alignment to the previously-proposed alignment.

The proposed export pipeline crossing of Hwy 99 has been updated to eliminate two alternatives west of the trenchless crossing of Hwy 99: the Southgate Ave-McFadden Lane-Midway alternative and the Norfield Ave-Midway alternative. The proposed export pipeline will now follow Entler Avenue to Midway with two options for trenchless crossing at Hwy 99: either at the northeast end of Norfield Avenue (the teal dashed line shown in the attached figure) or at the northeast end of Southgate Ave (the orange dotted line in the attached). The change was based in part on feedback we received from you through the AB52 consultation process and the Town anticipates that the potential for impacts from the new Entler Ave-Midway route will be less than the previous Southgate Ave-McFadden Lane-Midway and the Norfield Ave-Midway alternatives.

The Town would like to know if you have any concerns or questions about these changes, and if these changes would result in a change to potential impacts to Tribal Cultural Resources. I'm available to discuss on the phone and can set up calls/meetings with the Town if that is preferred.

Please let me know how you would like to proceed.

Thank you,
Monica

Monica Ruth, M.A. (*she/her*)
Ethnohistorian and Ethnographer
HDR
Mobile: 916-813-3060
Monica.Ruth@hdrinc.com
hdrinc.com/follow-us

